



Application Number

IDS Flag Clearance for Application 10518804



Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
M844	2004-12-17	6	Y <input checked="" type="checkbox"/>	2006-09-11 14:22:02.0	hsawhney
<input type="button" value="Update"/>					

10/518,804 INTERFERENCE SEARCH HISTORY PRINTOUT

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L3	0	(((light diffuser) and ((light source) or (incandescent (lamp or bulb))) and ((perforat\$3 (first or rear or internal) plate) with parallel with (perforat\$3 (front or second) plate))) and ((uniform\$4 distributed openings) with (equal size or diameter)) and ((random\$4\$4 distributed openings) with (unequal size or diameter))).clm.	US-PGPUB	2006/09/11 16:10

	Type	Hits	Search Text	DBs
1	BRS	46949	light diffus\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	3817783	(light sourc\$4) or lamp\$3 or (light bulb\$3) or light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	841598	(light emitting diod\$4) or "LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	4253166	\$2 or \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	1492515	(perforat\$4 (plate or sheet or lamina or substrate)) or ((plate or sheet or lamina or substrate) with (apertures or opening\$3 or holes))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	1538871	(perforat\$4 with (plate or sheet or lamina or substrate)) or ((plate or sheet or lamina or substrate) with (apertures or opening\$3 or holes))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	7934	\$1 and \$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	300348	\$6 with (first or front)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	296135	\$6 with (second or inner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	170923	\$8 and \$9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	1172	\$10 and \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
12	BRS	1172	S11 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	33	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	9	("20020071281"   "20020176256"   "20030016523"   "20030200689"   "4731715"   "5341933"   "5662412"   "5746506"   "6302566").PN. OR ("6857766").URPN.	US-PGPUB; USPAT; USOCR
15	BRS	4	("3525544").PN. OR ("6264348").URPN.	US-PGPUB; USPAT; USOCR
16	BRS	29	("0400372"   "0524825"   "0548373"   "0824444"   "1580922"   "2224950"   "2498097"   "2516286"   "3385963"   "4068120"   "4079245"   "4731715"   "4731716"   "5311415"   "5662412"   "5702180"   "5711599"   "5746506"   "5909954").PN. OR ("6302566").URPN.	US-PGPUB; USPAT; USOCR
17	BRS	6	("4221867"   "4407569").PN. OR ("4665036").URPN.	US-PGPUB; USPAT; USOCR
18	BRS	16	("3869615"   "3936771"   "4105318"   "4114168"   "4460832"   "4506374").PN. OR ("4651012").URPN.	US-PGPUB; USPAT; USOCR
19	BRS	7569	362/223,224,248,242,268,293,351,354,35 5,357,358,311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	24	("1953249"   "4055771"   "4126789"   "4280047").PN. OR ("4460832").URPN.	US-PGPUB; USPAT; USOCR
21	BRS	4	("3368070").URPN.	USPAT
22	BRS	629	S47 and (first or front or rear or second) and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	130	S40 and S29 and (light diffus\$5) and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
24	BRS	580	S53 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	299072	S23 with (second or inner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	303628	S23 with (first or front)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	1550758	(perforat\$4 with (plate or sheet or lamina or substrate)) or ((plate or sheet or lamina or substrate) with (apertures or opening\$3 or holes))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	1189	362/223,224,248,247,242,268,293,351,354,355,357,358,311.ccls. and S23 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	706	light diffus\$5 screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	0	("1361344").URPN.	USPAT
31	BRS	173039	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	3857208	(light sourc\$4) or lamp\$3 or (light bulb\$3) or light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	850546	(light emitting diod\$4) or "LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	4294910	S27 or S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	53120	S29 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
36	BRS	1047	S47 and (first or front or rear or second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	8196	362/223,224,248,247,242,268,293,351,354,355,357,358,311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	580	S52 and (first or front or rear or second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	19	S33 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	1552	S30 and "250"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	1455	S30 and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	BRS	164	S30 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	BRS	178	S43 or S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	1198	362/223,224,248,247,242,268,293,351,354,355,357,358,311.ccls. and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	BRS	17668	collimat\$4 and screen and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS	49	S42 and "250"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
47	BRS	47674	light diffus\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	289	(S33 or S34) and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	252	S37 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	3	perforat\$4 light diffuser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	BRS	12618	S56 and (parallel or laminat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	79263	S26 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	BRS	3543	S56 and (parallel or laminat\$4) and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	BRS	575	S54 not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	BRS	29942	S40 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	801	S40 and S29 and (light diffus\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	262	S49 and diffus\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
58	BRS	16644	S55 and (first or front or rear or second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	570	S59 not S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	IS&R	1	("4665036").PN.	USPAT; USOCR
61	BRS	0	de-4311013.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	BRS	2	de-4311013-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	IS&R	8	((("4665036") or ("1361344") or ("4651012") or ("4288697") or ("4465540") or ("3869615") or ("4460832")).PN.	USPAT; USOCR
64	BRS	0	250/641.ccls. and (screen or S23)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	BRS	150	"4665036" "1361344" "4651012" "4288697" "4465540" "3869615" "4460832"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	BRS	150	"4665036" "1361344" "4651012" "4288697" "4465540" "3869615" "4460832"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	IS&R	8	((("4665036") or ("1361344") or ("4651012") or ("4288697") or ("4465540") or ("3869615") or ("4460832")).PN.	USPAT; USOCR
68	BRS	438	359/641.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	94	359/641.ccls. and (screen or S23)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
70	BRS	157	250/503.1,363.1.ccls. and (screen or S23)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
71	BRS	41	250/503.1.ccls. and S79 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	BRS	256	S95 or S96 or S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	BRS	74	(S74 or S75) and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	BRS	179	S93 and S79 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	BRS	212	S91 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	BRS	95688	S90 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	BRS	1000	250/505.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	BRS	316	S93 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	BRS	266112	S86 or S89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	BRS	114014	rear with S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
81	BRS	800110	S79 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	BRS	326372	first with S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	BRS	285610	second with S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	BRS	4323304	S80 or S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	BRS	219501	S84 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	BRS	170154	front with S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	BRS	58410	S87 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	BRS	2628156	(perforat\$4 with (plate or sheet or lamina or substrate)) or ((plate or sheet or lamina or substrate) with (apertures or opening\$3 or holes)) or screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	BRS	3884171	(light sourc\$4) or lamp\$3 or (light bulb\$3) or light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	BRS	6849	S74 or S75 or S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
91	BRS	856630	(light emitting diod\$4) or "LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
92	BRS	1558824	(perforat\$4 with (plate or sheet or lamina or substrate)) or ((plate or sheet or lamina or substrate) with (apertures or opening\$3 or holes))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	BRS	1430	250/505.1,503.1,363.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	IS&R	6	((("4465540") or ("4651012") or ("4288697") or ("4665036") or ("4460832") or ("3869615")).PN.	USPAT; USOCR
95	BRS	1921	378/146,147,148,149,207.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	BRS	3685	362/248,242,255,290,291,292,325,351,354,355,358.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB